


# Physics

Question	Maximum Mark	Mark Awarded
#1	8	
#2	12	
#3	11	
#4	12	
#5	11	
#6	9	
<b>Total</b>	<b>63</b>	


created with  
 **Question Bank**  
Part of WJEC

Disclaimer: The questions in this revision paper have all been taken from actual examinations that have taken place. Whilst the questions are the property of Eduqas, this revision paper was created using an online tool and Eduqas take no responsibility for the content within it.

#1

(a) The graphs show how a car driver's *stopping distance* and *thinking distance* are expected to depend on the speed at which the car is being driven (on a straight dry road).

thinking distance = distance travelled between driver seeing a hazard ahead and starting to apply brakes  
 braking distance = distance travelled while brakes are bringing car to rest (with constant deceleration)  
 stopping distance = thinking distance + braking distance




(i) Determine the time interval that has been assumed between the driver seeing the hazard and starting to apply the brakes. [1]

(ii) Determine the **braking** distance for a speed of  $30 \text{ m s}^{-1}$ . [1]

(iii) Evaluate whether or not a consistent value has been used for the car's deceleration while the brakes are being applied. [3]

(b) Marks, called 'chevrons', are painted at 40m intervals on the road surface along a few stretches of motorway in the U.K.



Large notices say "Keep apart 2 chevrons". Using the information in part (a), discuss whether the use of chevrons is likely to help prevent accidents on motorways. You may consider whether the scheme has disadvantages and whether it could be improved. [3]




Question taken from Eduqas examination paper 842101, November 2020

#2


- (a) (i) Define velocity. [1]  
 .....  
 .....  
 (ii) Give an example of a situation where an object has: [2]  
 I. a changing velocity but a constant speed;  
 .....  
 .....  
 II. acceleration in the opposite direction to velocity.  
 .....  
 .....

(b) Sarah throws a ball vertically upwards and catches it. A velocity-time graph for the flight of the ball is shown below. Ignore the effects of air resistance.



- (i) Calculate the acceleration due to gravity. [2]  
 .....  
 .....  
 (ii) Calculate the maximum height of the ball from Sarah's hand. [2]  
 .....  
 .....  
 (iii) State the displacement of the ball from Sarah's hand after 3 seconds. [1]  
 .....

(c) When Sarah was asked to sketch a displacement-time graph for the flight of the ball from the time it was first thrown until it was caught, she sketched the shape shown below. Evaluate whether you think she was correct. Further calculations are not required. [4]



- .....  
 .....  
 .....  
 .....  
 .....  
 .....  
 .....

Question taken from Eduqas examination paper 842001, June 2017

#3

7. (a) Ignoring the effects of air resistance, describe how, if at all, the vertical and horizontal components of a projectile's velocity change during flight on Earth. [2]


.....

.....

.....

.....

- (b) (i) A football player takes a free kick 21 m away from the goal. The ball leaves the ground at an angle of  $20^\circ$ . Show that the velocity he must strike the ball at is approximately  $25 \text{ m s}^{-1}$  if it is to reach its maximum height at the moment it reaches the goal. Ignore the effects of air resistance. [4]



.....

.....

.....

.....

.....

.....

.....

.....

- (ii) The height of the cross bar is 2.44 m above the ground. Justify numerically whether the ball crosses the goal line above or below the bar. [3]

.....

.....

.....

.....

.....

- (iii) Discuss how air resistance might affect the height at which the ball reaches the goal. [2]

.....


.....

.....

Question taken from Eduqas examination paper 842001, June 2018

#4

George attempts to determine the acceleration due to gravity using the following apparatus. The ball bearing starts from rest just above the top beam of light. When the ball bearing cuts the top beam it starts the timer and when it breaks the bottom beam it stops the timer.



- (a) (i) The vertical distance,  $h$ , between the two light beams was measured using a metre ruler of resolution 1 cm and was found to be 1.25 m. Determine the **percentage uncertainty** in this result. [1]

.....

.....

.....

- (ii) The time,  $t$ , taken to fall through the distance,  $h$ , was measured three times and the following results were obtained.

Time 1 / s	Time 2 / s	Time 3 / s
0.51	0.53	0.50

Determine the mean time taken for the ball bearing to fall along with its **percentage uncertainty**. [2]

.....

.....

.....

- (iii) Use the equation:

$$h = \frac{gt^2}{2}$$

to determine a value for the acceleration due to gravity along with its **absolute uncertainty**. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (iv) State why the value you obtained in (a)(iii) is less than  $9.81 \text{ m s}^{-2}$ . [1]

.....

- (b) (i) Annabel suggests that the experiment would be more accurate if times were obtained for the ball bearing to fall different vertical distances and a graph was drawn. Do you believe Annabel is correct? Justify your answer. [2]

.....

.....

.....

- (ii) Explain which graph should be drawn to determine  $g$  and how it can be used to find a value for  $g$ . [2]

.....

.....

.....

Question taken from Eduqas examination paper 842001, June 2017

#5


- (a) State what is meant by a body's *mean acceleration* over a period of time. [1]

.....

.....

.....

- (b) Protons are 'stored' by being made to go round and round a circular path of radius 0.25 m at constant speed. They perform  $5.2 \times 10^6$  revolutions per second.



- (i) Show clearly that the protons' speed is approximately  $8 \times 10^6 \text{ m s}^{-1}$ . [2]

.....

.....

.....

- (ii) Determine the magnitude and direction of a proton's acceleration at point B. [3]

.....

.....

.....

.....

- (iii) Calculate a proton's mean acceleration over the semicircle ABC. [3]

.....

.....

.....

.....

- (c) Two students discuss the mean force on a proton over one revolution ABCA. Adam says that the mean force is the same as the force at B, because the force is the same all the way round. Brian says that the mean force is zero. Evaluate these opinions. [2]

.....

.....


.....

.....

Question taken from Eduqas examination paper 842101, November 2020

#6

1. (a) In an investigation of projectile motion, a student throws a stone. It is moving horizontally when it leaves his hand (at point P). It reaches the ground at point Q.



- (i) By analysing a video of the stone's flight, its horizontal velocity component,  $v_h$ , is found to be almost constant. Discuss whether or not this is to be expected. [2]

.....

.....

.....

- (ii) The approximate value of  $v_h$  obtained from the video was  $9.0 \text{ ms}^{-1}$ . Determine whether this value is consistent with the measured distances recorded in the diagram. Show your reasoning clearly. [3]

.....

.....

.....

.....

.....

.....



(b) Calculate the magnitude and direction of the stone's velocity just before it hits the ground. [4]

.....

.....

.....

.....

.....

.....

Question taken from Eduqas examination paper 842101, June 2019