


Physics


Question	Maximum Mark	Mark Awarded
#1	7	
#2	9	
#3	9	
#4	10	
#5	11	
#6	13	
#7	15	
Total	74	

created with
 **Question Bank**
Part of WJEC

Disclaimer: The questions in this revision paper have all been taken from actual examinations that have taken place. Whilst the questions are the property of Eduqas, this revision paper was created using an online tool and Eduqas take no responsibility for the content within it.

#1

The diagram shows a potential difference against time graph detected with a microphone in response to a sound wave.



(a) Sound is a longitudinal wave. State what is meant by a longitudinal wave. [2]

.....

.....

.....

(b) Determine the amplitude of the signal shown. [1]

.....

(c) (i) In order to probe muscle tissue in the human body, ultrasound is used with a wavelength of 0.40 mm and a speed in muscle of 1580 m s^{-1} . Calculate the frequency of this ultrasound. [1]

.....

.....

(ii) Evaluate whether the sound wave detected by the microphone as shown above can be used to probe muscle tissue. [3]

.....

.....

.....

.....

.....

Question taken from Eduqas examination paper 842002, June 2017

#2

1. (a) State the difference between transverse and longitudinal waves. [2]

.....


.....

.....


.....

- (b) The variation of displacement with respect to position and time is shown in the following two graphs for the same surface wave on water.

Graph of displacement against distance (at a given time)



Graph of displacement against time (at a given distance)



- (i) State the amplitude of the wave. [1]
- (ii) State the wavelength of the wave. [1]

(iii) Calculate the speed of the wave. [3]

.....

.....


.....

.....

.....

.....

(c) A wavefront diagram for waves on the surface of water is shown.



- (i) Draw an arrow to indicate the direction of motion of the wavefront at point S. [1]
- (ii) State the point(s) oscillating in phase with point P. [1]

Question taken from Eduqas examination paper 842103, June 2019

- (b) The polarisation of light is used in Liquid Crystal Display TVs. These have been developed from research into new organic materials. Discuss the importance of research and development into new materials, in general, by giving a benefit and an issue that may arise from using new materials. [3]

.....

.....

.....

.....


.....

.....

Question taken from Eduqas examination paper 842002, June 2019

#4

1. The apparatus below is used to demonstrate stationary waves on a string. Both the weight, and the distance between the pin and the pulley are kept constant.



The following stationary wave pattern is observed on the string.



- (a) Explain why stationary waves are formed at particular frequencies only. [3]

.....

.....

.....

.....

.....

.....

.....

(b) Another stationary wave is formed when the frequency is 450Hz and the length of each loop is 12.0 cm long.

(i) Calculate the speed of the waves on the string. [3]

.....

.....

.....

.....

.....

(ii) At a higher frequency there are two more loops formed than at 450Hz and each is of length 10.0 cm. Determine the number of loops observed at 450 Hz. [4]

.....

.....

.....

.....

.....

.....

.....

.....

Question taken from Eduqas examination paper 842002, June 2019

#5


- (a) Bruce throws a lump of coal towards Dani which she catches. Bruce claims that, because chemical energy is being transferred from himself to Dani, the lump of coal is a **wave**. Explain whether or not Bruce is correct. [2]

.....

.....

.....

- (b) The door of a microwave oven has a metal grille and this grille has holes in it of diameter 2 mm so that the food can be seen within the oven.



- (i) Explain why the food can be seen through the door while the user is safe from dangerous microwaves of wavelength 12 cm. [3]

.....

.....

.....

.....

.....

- (ii) State or calculate a typical photon energy of visible light. [1]


.....

- (iii) Explain whether or not a microwave photon has a greater or smaller energy than a visible photon. [1]

.....

.....

- (c) Two water waves of equal amplitude but different frequencies meet. The variation of the displacements of each wave is shown in the graph at the meeting point of the two waves.



Use the principle of superposition to plot the resultant displacement of the two waves at times 0.00 s, 0.40 s, 1.00 s, 1.25 s, 1.50 s, 2.10 s, 2.50 s **on the same grid** and draw a suitable curve. [4]

Question taken from Eduqas examination paper 842103, November 2020

#6


1. (a) Explain what is meant by a progressive wave. [2]

.....

.....

.....

- (b) Earthquakes produce seismic waves that travel through rock. The following graph shows the displacement at a given instant for a seismic wave.



- (i) Determine the phase difference between: [2]

A and B

B and C

- (ii) A geologist at a monitoring station notes that there are 50 complete cycles of the wave in a time interval of 20 s. Calculate the speed of the wave. [4]

.....

.....

.....

.....

.....

- (c) A section of rock undergoes a tensile stress of 900MPa during an earthquake. Calculate the tensile strain if the Young modulus is 70 GPa for rock. [3]

.....

.....

.....

.....

- (d) Explain how data obtained by geologists about earthquakes from various monitoring stations can benefit society. [2]

.....

.....


.....

.....

Question taken from Eduqas examination paper 842002, June 2018

#7

5. An experiment is carried out using stationary waves to measure the speed of sound in air. A loudspeaker is placed at one end of a hollow tube so that both ends are closed. The frequency, f , of the signal generator connected to the loudspeaker is varied and those frequencies corresponding to loud noises recorded.



- (a) Describe the differences between a stationary wave and a progressive wave in terms of energy, phase and amplitude. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Show that the frequencies corresponding to stationary waves are given by:

$$f = \frac{v}{2L} n$$

where n is any whole number ($n = 2$ in the above diagram). [3]

.....


.....

.....

.....

.....

(c) The data obtained are plotted on the grid below.



Explain to what extent the graph agrees with the equation:

[3]

$$f = \frac{v}{2L} n$$

.....

.....

.....

.....

.....

.....

.....

- (d) The experiment is repeated with the tube filled with nitrogen dioxide (NO_2), a gas that is 1.5 times denser than air. The speed of sound in a gas is inversely proportional to the square root of the density, ρ :

$$v \propto \frac{1}{\sqrt{\rho}}$$

Explain what effect this will have on the gradient of the graph.

[3]

.....

.....

.....

.....

.....

.....

- (e) A car company is fined £15 billion for excessive NO_2 emissions of its diesel engines. However, there is little or no reliable evidence that NO_2 produces any detrimental health effects at the concentration levels present in the atmosphere. Discuss whether or not the car company or pedestrians have been treated unfairly. [3]

.....

.....

.....

.....

.....

.....

Question taken from Eduqas examination paper 842103, June 2018