

Mark Scheme

Q1.

Question Number	Answer	Mark
	<p>The only correct answer is B: work done= force \times distance moved in direction of force</p> <p>A is incorrect because the equation would be dimensionally inconsistent</p> <p>C is incorrect because the equation would be dimensionally inconsistent</p> <p>D is incorrect because the direction of the distance moved is incorrect</p>	(1)

Q2.

Question Number:	Answer	Additional Guidance	Mark
	<p>a description to include:</p> <p>kinetic energy (store) (of cyclist and /or bicycle) decreases / is transferred into(1)</p> <p>thermal energy (store) (of brakes / surroundings) increases (1)</p>	<p>KE for kinetic energy</p> <p>allow heat for thermal allow brakes get hotter ignore sound energy</p> <p>accept kinetic (energy) to heat (energy) for 2 marks in this context</p>	(2) AO 1 1

Q3.

Question Number	Answer	Additional guidance	Mark
	An answer that includes difference in energy transferred / work done (when loading and unloading) (1) transferred to thermal energy (store in the rubber) (1)	(thermal) energy is dissipated to the surroundings	(2)

Q4.


Question Number:	Answer	Additional Guidance	Mark
	substitution (1) (KE =) $\frac{1}{2} \times 68 \times 12^2$ evaluation (1) 4900 (J)	$\frac{1}{2} \times 68000 \times 12^2$ scores 1 mark accept values that round to 4900(J) e.g. 4896(J) award full marks for correct answer without working	(2) AO 2 1

Q5.

Question Number:	Answer	Additional Guidance	Mark
	<p>recall and substitution (1)</p> <p>1600 = force x 28</p> <p>rearrangement (1)</p> $(\text{force}) = \frac{1600}{28}$ <p>evaluation (1)</p> <p>57 (N)</p>	<p>substitution and rearrangement in either order</p> <p>accept f, F or ? for force</p> <p>accept values that round down to 57 e.g. 57.14</p> <p>award full marks for correct answer without working</p> <p>award 1 mark for answers of 44800 or 0.0175 and a correct expression relating work, force and distance</p>	<p>(3) AO 2 1</p>

Q6.


Question Number:	Answer	Additional guidance	Mark
(i)	<p>0.9 (k N) (1)</p> <p>up / upwards / ascending (1)</p>	<p>accept .9 or 0.90</p> <p>north N ↑</p>	<p>(2) AO 3 2a AO 3 2b</p>

Question Number:	Answer	Additional guidance	Mark
(ii)		<p>judge length and direction by eye</p> <p>construction lines need not be shown</p> <p>magnitude need not be stated</p> <p>allow missing arrowhead if direction and length are correct</p> <p>reject answers which have any additional vectors drawn</p>	(1) AO 3 2b

Question Number:	Answer	Additional Guidance	Mark
(iii)	<p>recall and substitution (1)</p> $GPE = 750 \times 10 \times 1300$ <p>evaluation (1)</p> <p>(energy =) 9 800 000 (J)</p>	<p>no POT error (could have missed out g)</p> <p>allow answers in standard form 9.8×10^6</p> <p>allow answers that round to 9 800 000 e.g. 9 750 000 J</p> <p>allow 9800 kJ or 9.8MJ</p> <p>allow 9 555 000 J</p> <p>allow negative values</p> <p>award full marks for correct answer without working</p>	(2) AO 2 1

Q7.

	Answer	Acceptable answers	Mark
(ai)	A line connecting a train part with a useful energy transfer as shown below (1)	<p>Lines need not be straight</p> <p>Ignore any arrow heads drawn</p>	(3)

	<p>Train part transfer</p> <p>useful energy</p> 	<p>Note: if more than one line is drawn from a train part then zero mark for that train part.</p>	
(aii)	(transfer of energy to) thermal (1)	heat/sound	(1)
(bi)	1400 - 1300 (= 100) (kJ) (1)		(1)
(bii)	<p>Substitution (1) 1300 / 1400 × 100</p> <p>Evaluation (1) 93(%) or 0.93</p>	<p>A value which rounds to 93(%) or 0.93</p> <p>Correct answer with no working scores 2 marks</p>	(2)
(c)	<p>Any one from</p> <p>black is a good thermal radiator (1)</p> <p>(helps to) prevent motors overheating (1)</p>	<p>(good) emitter</p> <p>(helps to) remove wasted energy/ heat (from the motor)</p>	(1)

Q8.

Question Number	Answer	Additional guidance	Mark
(i)	substitution (1) ($\Delta GPE =$) $(0.0)46 \times 10 \times 2.05$ evaluation (1) 0.94(3) (J)	allow $g = 9.8(1) \text{ m/s}^2$ 0.9 (J) values that round to 0.92 or 0.93 (from using $g = 9.8$ or 9.81) do not award for 1(J) no POT error in evaluation award full marks for the correct answer without working.	(2)

Question Number	Answer	Additional guidance	Mark
(ii)	recall (1) ($KE =$) $\frac{1}{2} \times m \times v^2$ substitution (1) ($KE =$) $\frac{1}{2} \times (0.0)46 \times 3.5^2$ evaluation (1) 0.28 (J)	allow answers that round to 0.28 e.g. 0.28175 (J) allow max 2 marks for POT error e.g. 0.00028 award full marks for the correct answer without working	(3)

Question Number	Answer	Additional guidance	Mark
(iii)	Any value between 0.8 (m) and 0.95 (m) inclusive		(1)

Question Number	Answer	Additional guidance	Mark
(iv)	<p>An explanation linking (the ball) has lost energy (1)</p> <p>identification of what has happened to that energy (1)</p>	<p>accept (energy) dissipated or (transferred to) surroundings / ground or thermal energy or heat / sound or system is not 100% efficient or bounce is not (100%) elastic or squashing (the ball or the ground)</p>	(2)

Q9.

Question Number	Answer	Acceptable answers	Mark
(a)(i)	C - power		(1)

Question Number	Answer	Acceptable answers	Mark
(a)(ii)	energy work	Must be in correct order	(1)

Question Number	Answer	Acceptable answers	Mark
a(iii)	Substitution 50 × 4 (1)		
	Evaluation 200 (kg m/s) (1)	Allow full marks for correct answer with no working shown	(2)

Question Number	Answer	Acceptable answers	Mark
a(iv)	Substitution 450 / 1.5 (1)		
	Evaluation 300 (N) (1)	Allow full marks for correct answer with no working shown Allow (1) for 167 (N) obtained by 450-200 / 1.5	(2)

Question Number	Answer	Acceptable answers	Mark
(a)(v)	An explanation to include (quantity has) a size and a direction	ignore any named examples	(1)

Question Number	Answer	Acceptable answers	Mark
(b)	An explanation which uses conservation of momentum to link three from Mother and daughter have different mass (1) Momentum is conserved / is zero to start with (1) Both have same size momentum (after the push) (1) so speed of the daughter is greater than that of the mother (1)	An explanation based on Newton's laws and linking three from Each have a different mass (1) Each experience the same size force / action and reaction are equal (1) Each experiences a different acceleration (1) so speed of the daughter is greater than that of the mother (1)	(3)

(Total for Question = 10 marks)

Q10.

Question Number	Answer	Acceptable answers	Mark
(a)(i)	A		(1)

Question Number	Answer	Acceptable answers	Mark
(a)(ii)	<p>A description to include any two of</p> <ul style="list-style-type: none"> • Gravitational / potential energy reduces (1) • kinetic energy increases (1) • total energy remains constant (1) 	<p>Ignore energy changes resulting from impact with sand</p> <p>GPE reduces</p> <p>KE increases</p> <p>Allow GPE is transferred to KE for 2 mark</p>	(2)

Question Number	Answer	Acceptable answers	Mark
(b)	<p>A explanation linking</p> <ul style="list-style-type: none"> • (work is done) displacing the sand (1) <p>with EITHER</p> <ul style="list-style-type: none"> • (as) <u>kinetic</u> energy of the ball(s) has been transferred (1) <p>OR</p> <ul style="list-style-type: none"> • by the force between the ball and the sand (1) 	<p>sand moving/ pushing/ blowing upwards OWTTE or ball sinking into sand</p>	(2)

Question Number	Answer	Acceptable answers	Mark
(c)(i)	transposition mass = momentum / velocity (1)	Subst. and transform. either order 1 mark only can be scored for correct substitution after incorrect transposition.	(3)
	substitution mass = 0.46 / 6.2 (1)	Give full marks for correct answer with no working.	
	evaluation 0.074 (kg) / 74g (1)	Answers that round to 0.074 (kg) 0.07 (kg)	

Question Number	Answer	Acceptable answers	Mark
(c)(ii)	substitution (impact) force = 0.46 / 0.17 (1)	Give full marks for correct answer with no working.	(2)
	evaluation 2.7 (N) (1)	Ignore power of ten error until evaluation Answers which round to 2.7 Allow ECF if candidate has used mass from part (i) in $F = m(v-u) / T$ $F = \frac{6.2 - 0}{0.17} \times 0.074 \quad (1)$ $= 2.7 \text{ (N)} \quad (1)$	