

Mark schemes

- 1** (a) gravitational force(s) (1)
accept 'gravity'
- balanced by (force(s) due to) radiation pressure (1)
accept equal
- 2
- (b) by (nuclear) fusion (1)
- of hydrogen to helium (other light elements) (1)
allow 'low density' for light
accept hydrogen nuclei / atoms form helium
response must clearly link one element(s) producing others
fusion to produce helium (2)
- heavy element / elements heavier than iron are only produced (by fusion) in a supernova (1)
allow dense for heavy
ignore any reference to elements undergoing radioactive decay (to form other elements)
- 3
- [5]**
- 2** (a) *evidence of conclusion* 4×1.007825 **or** 4.0313
each gain 1 mark
- based on use of data that there is a (very small) loss of mass*
or 0.0276 **but** a loss of mass of 0.0276 **for every helium atom or** 0.69%/0.7%
gains 3 marks
- 3
- (b) *idea that* loss of mass results in release of energy
gains 1 mark
- but** small loss of mass results in huge energy release
gains 2 marks
- 2
- [5]**

3

- (a) gravitational attraction (between the satellite and the Earth)

*allow gravity**allow weight of the satellite*

1

- (b) any
- two**
- from:

- mass of satellite
- speed / velocity (of satellite)
- radius of orbit / circle

*allow height above the Earth**radius / height alone is insufficient*

2

- (c) (i) increasing the height (above the Earth's surface) increases the time (for one orbit)

*allow a positive correlation**allow as one gets bigger, the other gets bigger, or vice versa**ignore they are directly proportional*

1

- (ii) there is no relationship / correlation

1

- (d) Isaac Newton was a respected scientist who had made new discoveries before

1

[6]

4

- (a) (i) any
- two**
- from

(matter from) exploded star / supernova

matter so dense / gravity so strong

that electromagnetic radiation / light cannot escape from it

2

- (ii) X-rays emitted

1

when gases or matter released from nearby stars spiral into it

1

- (b) fusion (of nuclei)

1

of lighter elements / hydrogen helium

1

[6]

5

(a) any **two** from:

- nuclei / atoms of light elements fuse
accept hydrogen or helium for light elements
accept join for fuse
accept for 1 mark, by nuclear fusion
answers about fission negates a mark
- each (fusion) reaction releases energy / heat / light
- lots of reactions occur

2

(b) presence of nuclei of the heaviest / heavy / heavier elements

accept atom for nuclei

1

(c) (i) (matter / mass) with such a high density / strong gravitational (field)

1

electromagnetic radiation / light is pulled in

*accept nothing can escape**do **not** accept answers in terms of an empty void*

1

(ii) X-rays

accept e-m radiation / e-m waves

1

[6]

6

(a) materials produced when earlier stars exploded

*accept the Sun is a second generation star**accept formed from nebulae*

1

(b) **Quality of written communication:**

1 mark for correct sequencing balanced forces → expansion → contraction / explosion

1

any **five** from

gravity pulling matter together

accept idea that a star is very massive so its force of gravity is very strong

high temperatures that create expansion forces

nuclear fusion releases energy that causes the very high temperatures

these forces balance

star expands greatly

since expansion is greater than gravity

accept fuel runs out

forms a red giant

give no further marks if red giant → white dwarf, red dwarf etc

collapses inwards and explodes outwards

called a supernova

neutron star may form

leaves a small, dense object (a black hole)

accept nothing can escape from it

5

[7]

7

ideas that

- formed from dust/gases
- pulled together by gravity
- massive so very large gravitational forces (pulling inwards)
- hydrogen → helium / fusion releases energy [not fission or just 'nuclear']
- high temperature creates high pressure (pushing outwards)
- long period when forces balance
- then expands → red giant / red star
- then contracts to (dense) white dwarf / white star

[credit if massive enough / more massive than sun, red giant → supernova → (very dense) neutron star but do not accept w.r.t. Sun itself]

[The whole of the (non bracketed part of) each idea must be present in some appropriate form in words for each mark to be credited. To gain more than a single mark ideas must also be in correct sequence and/or appropriately related.]

any six 1 mark each

[6]

8

(a) it use $E = mc^2$

$$\text{mass in kg i.e. } 0.001 \times \frac{0.7}{100}$$

each gains 1 mark

but 000007

gains 2 marks

$$2.1 \times 10^3$$

gains 3 marks

evidence of 0.000007

mass in kg (i.e. 0.0007 **or** 0.7/100000)

each gains 1 mark

squaring the speed of light

but 6.3×10^{11} (credit alternative ways of stating this)

gains 3 marks

units J/joule

for 1 further mark

(N.B credit kJ, MJ, GJ but check power of 10 for full credit)

4

(b) (i) *idea that* the bigger the mass the shorter the life
gains 1 mark

but *idea that* decrease in life is much more than proportional to increase in mass

or more than proportional to mass²

gains 2 marks

2

- (ii) *ideas that:*
 greater mass means greater **core** temperature/pressure
 greater core temperature/pressure means greater rate of fusion
 increase in mass produces a proportionally much greater
 increase in the rate of fusion

each for 1 mark

3

[9]

9

- (a) the Sun is subject to two balancing forces / 2 forces in equilibrium
 the forces are: gravity making it contract **or** inward force due to gravity
and a force due to temperature / heat / energy / radiation pressure making it
 expand **or** outward force due to temperature / heat / energy / radiation pressure

for 1 mark each

3

- (b) Read all the answer first. Stop after 6 marks.

hydrogen / fuel used up owtte the star will expand and become a red giant
 it will contract under gravity become a white dwarf
 it may explode and become a supernova throwing dust and gas into space
 leaving a dense neutron star / black hole

(no mark for contradiction)

any six for 1 mark each

6

[9]

10

- (a) gamma rays
 (b) can travel through the atmosphere
 (c) explosion of a red super giant
or
 a supernova
 (d) 1.2×10^9 Hz

1

1

1

1

- (e) $3.0 \times 10^8 = 1.2 \times 10^9 \times \lambda$
an answer of 0.25 (m) scores 3 marks
allow ecf from (d)

1

$$\lambda = \frac{3.0 \times 10^8}{1.2 \times 10^9}$$

1

$$\lambda = 0.25 \text{ (m)}$$

1

(g) same as the radio wave

1

(f) expansion due to fusion energy

1

in equilibrium with gravitational collapse

forces acting inwards equal forces acting outwards gains 1 mark

1

(h)

Level 2: Scientifically relevant facts, events or processes are identified and given in detail to form an accurate account.	3-4
Level 1: Facts, events or processes are identified and simply stated but their relevance is not clear.	1-2
No relevant content	0
Indicative content <ul style="list-style-type: none"> • Sun goes from main sequence to red giant • then from red giant to white dwarf • when the Sun changes to a red giant the surface temperature will decrease • and the relative luminosity will increase • when changing from a red giant to a white dwarf the surface temperature increases • and the relative luminosity decreases 	

4

[14]