

# HL Paper 1

Which single condition enables Newton's universal law of gravitation to be used to predict the force between the Earth and the Sun?

- A. The Earth and the Sun both have a very large radius.
- B. The distance between the Earth and the Sun is approximately constant.
- C. The Earth and the Sun both have a very large mass.
- D. The Earth and the Sun behave as point masses.

The magnitude of the potential at the surface of a planet is  $V$ . What is the escape speed from the surface of the planet?

- A.  $\sqrt{V}$
- B.  $\sqrt{2V}$
- C.  $\sqrt{VR}$
- D.  $\sqrt{2VR}$


An object rotates in a horizontal circle when acted on by a centripetal force  $F$ . What is the centripetal force acting on the object when the radius of the circle doubles and the kinetic energy of the object halves?

- A.  $\frac{F}{4}$
- B.  $\frac{F}{2}$
- C.  $F$
- D.  $4F$

A car travels in a horizontal circle at constant speed. At any instant the resultant horizontal force acting on the car is

- A. zero.
- B. in the direction of travel of the car.
- C. directed out from the centre of the circle.
- D. directed towards the centre of the circle.

The centre of the Earth is separated from the centre of the Moon by a distance  $D$ . Point P lies on a line joining the centre of the Earth and the centre of the Moon, a distance  $X$  from the centre of the Earth. The gravitational field strength at P is zero.




What is the ratio  $\frac{\text{mass of the Moon}}{\text{mass of the Earth}}$ ?

- A.  $\frac{(D-X)^2}{X^2}$
- B.  $\frac{(D-X)}{X}$
- C.  $\frac{X^2}{(D-X)^2}$
- D.  $\frac{X}{D-X}$

A particle of mass  $m$  is moving with constant speed  $v$  in uniform circular motion. What is the total work done by the centripetal force during one revolution?

- A. Zero
- B.  $\frac{mv^2}{2}$
- C.  $mv^2$
- D.  $2 \pi mv^2$

A small ball of weight  $W$  is attached to a string and moves in a vertical circle of radius  $R$ .



What is the smallest kinetic energy of the ball at position X for the ball to maintain the circular motion with radius  $R$ ?

- A.  $\frac{WR}{2}$
- B.  $WR$
- C.  $2WR$
- D.  $\frac{5WR}{2}$

An object of mass  $m$  moves in a horizontal circle of radius  $r$  with a constant speed  $v$ . What is the rate at which work is done by the centripetal force?

- A.  $\frac{mv^3}{r}$
  - B.  $\frac{mv^3}{2\pi r}$
  - C.  $\frac{mv^3}{4\pi r}$
  - D. zero
- 

An astronaut of mass 60 kg is on board the International Space Station, which is in low orbit around the Earth. The gravitational force of attraction between the Earth and astronaut is approximately

- A. zero.
  - B. 6 N.
  - C. 60 N.
  - D. 600 N.
- 

The Earth is a distance  $r_S$  from the Sun. The Moon is a distance  $r_M$  from the Earth.

The ratio  $\frac{\text{gravitational field strength at the Earth due to the Sun}}{\text{gravitational field strength at the Earth due to the Moon}}$  is proportional to

- A.  $\frac{r_M}{r_S}$
  - B.  $\frac{r_S}{r_M}$
  - C.  $\frac{r_S^2}{r_M^2}$
  - D.  $\frac{r_M^2}{r_S^2}$
- 

The acceleration of free fall of a mass of 2.0 kg close to the surface of Mars is  $3.6 \text{ ms}^{-2}$ . What is the gravitational field strength at the surface of Mars in  $\text{N kg}^{-1}$ ?

- A. 1.8
  - B. 3.6
  - C. 7.2
  - D. 9.8
- 

Particle P is moving with uniform speed in a horizontal circle. Which of the following shows the correct directions of the acceleration  $a$  and the velocity  $v$  of P at the position shown?

